

# CLD Dulok ScreenFence

Privacy Screening System




Physical Security Systems



Find out more  
Scan for more information

## Description

Dulok ScreenFence has been designed to restrict visibility of areas requiring privacy. Dulok ScreenFence is created by fitting durable polyethylene (PE) screens to the Dulok 868 double wire panels. A cost-effective option, Dulok ScreenFence not only looks great, but is UV stable and weatherproof for a long-lasting perimeter solution.



## Features

Ideal for: Hospitals,  
Care Homes, Schools

Limits Visibility

Weatherproof

Recyclable materials

Exploded view of post and fixing details for the CLD Dulok ScreenFence  
This product has additional features not demonstrated for security reasons



cld-systems.com

## Product Technical Information

Standard	BS1722-14: 2017 BS EN ISO 1461:2009 BS EN 13438:2013
Panel Type	Mesh and wire. Single vertical and double horizontal wires.
Panel Width	2506mm
Wire diameter	6mm verticals and twin 8mm horizontals
Mesh size	200 x 50mm
Available heights	630mm to 3030mm
Nominal Heights	0.6 to 3.0m
Finish	Polyester powder-coated to 60-80 microns or 160-200 microns with marine grade and metallics. Any RAL colour available
Top Edge Projection	30mm – can be inverted for a flush finish
Panel Installation	Bottom of panel approx 40mm above ground
Security Topping Options	Cranked or straight extensions for barbed and razor wire
Post Dimensions	Minimum 60mm x 40mm depending on height of panel
Post Centres	2520mm
Posts	RHS, galvanised after manufacture and polyester powder-coated to match fencing
Fixings	60mm x 5mm full length clamp bar. M8 x 40mm stainless steel pin hex dome-head security screws. Sheardrive™ if required instead of pin hex.
Foundations	Set posts in holes minimum 300mm diameter x 800mm deep. Note: Contractor/ client is responsible for the foundation size suitable for the ground conditions and height of fence
Warranty	Mesh: Minimum of 15 years against manufacturing defects. Weave: minimum 2 years guarantee, against colour fading

## Disclaimer

Fencing should be installed in accordance with BS 1722-14. Every care has been taken to ensure that all information provided on this data sheet is accurate. CLD Fencing Systems Ltd reserves the right to change product specification at any time. Please ensure that you have the latest information which can be found on our website or by contacting our team.

Document Reference - CLD\_Dulok\_ScreenFence\_DS\_20230718