

CLD Eclipse

Profiled Rigid Mesh Panel System



Eclipse is a general purpose perimeter fencing system offering a cost effective and attractive fenceline.

With projecting spikes, Eclipse is difficult to climb over offering a good deterrent against vandals and intruders.


Ideal for

- Car parks
- Commercial Parks
- Retail
- Public Building

Conforms to



Isometric View



Key Features

Profiled panels

Enclosed fixings

Matching clips

Scan the QR code to find out more



CLD Eclipse


Profiled Rigid Mesh Panel System



Product Technical Information

Standards:	BS1722-14: 2017 BS EN ISO 1461:2009 BS EN 13438:2013
Description:	Mesh and wire with profiles. Galvanised and powder-coated to minimum 60 microns
Panel width:	2.5m or 3.0m up to 2.4m high, 2.8m for 3.0m high
Wire diameter:	5mm
Mesh size:	200mm x 50mm
Available heights Select as required:	1230mm/1530mm/1730mm/1930mm/2330mm/3030mm
Nominal height:	1.2m/1.5m/1.8m/2.0m/2.4m/3.0m
Finish:	Polyester powder-coated to minimum 60 microns. Any RAL colour including marine grade and metallics.
Top edge projection:	0mm
Panel installation:	Bottom of panel maximum 50mm above ground
Security topping options:	Barbed and razor, cranked or straight
Posts:	SHS or RHS, galvanised after manufacture and polyester powder-coated to match fencing
Post dimensions:	60mm x 60mm up to 2330mm. 80mm x 40mm for 3030mm height panels.
Maximum posts Centres:	2510mm or 3010mm up to 2330mm heights. 2810mm for 3030mm height only
Fixings:	47mm x 35mm steel clips.
Foundations:	Set posts in holes minimum 300mm square or 400mm diameter round x 800mm deep. Base plated option also available.
Note:	Contractor/ client is responsible for the foundation size suitable for the ground conditions and height.
Warranty:	Minimum of 15 years against manufacturing defects

System Details



Disclaimer

Fencing should be installed in accordance with BS 1722-14. Every care has been taken to ensure that all information provided on this data sheet is accurate. CLD Fencing Systems Ltd reserves the right to change product specification at any time. Please ensure that you have the latest information which can be found on our website or by contacting our team.

Document Reference - 20221220_CLD_Eclipse_DS

CALL 01270 764751 VISIT WWW.CLD-SYSTEMS.COM